

1.

2.

3.

		Onet. ar	(Vdaf)	St. d	M	Na ₂ O+K ₂ O	DT
50mm		4800kcal kg	18%	2.5 %	8%	2.5%	1350
		4600kcal kg	18%	4.0 %	—	2.5%	—

1.

5

1000

2

2023 12 14 10

< 1

10

1

2

15

8

3000

2

15

8

5000

20 /

8000

0.02 / .

3.

13%

4.

10

2304343109122102320

5.

3

6.

10

7.

10

8.

90% 110%

90%

110%

0.002 / .

0.002 / .

9.

0.02 / .

10.

	Q _{net, ar} 4800 St. d 2.5% V _{daf} 18% Na ₂ O+K ₂ O 2.5% 0. xxx /	Q _{net, ar} < 4800 Kcal / Q _{net, ar} V _{daf} Na ₂ O+K ₂ O	1. 2.5% St. d 2. 3.0% St. d 3. 0.1	0.1	1 0.1 2 5 10 20	95-110% 90% < 95% 80% < 90% 70% < 80% 60% < 70% 50% < 60% 40% < 50% < 40%
				< 4600	4.0% V _{daf} > 18%	Na ₂ O+K ₂ O 2.5%
		(/ .)	(%)	%	Na ₂ O+K ₂ O	
			18%	2.5%	4800	2.5%

1.

1000

3

2.

3.

Q_{net, ar} 4800kcal

St. d 2.5%

V_{daf} 18%

2.5%

4.

5.

cnfdmrbjcg@163.com

6.

0 1 1 10

0 0- 0

0 0- 0

.