

1.

2.

3.

		Qnet. ar	(Vdaf)	St. d	Na <sub>2</sub> O	M	DT
50mm		5000kcal kg	18% 40%	2.5 %	2.0 %	8%	1350
		4700kcal kg	15% 42%	4.0 %	2.0 %	---	---

1.

3

3000

0.02 / .

2

2024 9 14 10

< 1

10

1

2

15

8

3000

2

15

8

5000

20 /

8000

0.02 / .

3.

13 %

4.

10

2304343109122102320

5.

3

6.

10

7.

10

8.

90% 110%

1000

1000

90%

110%

0.002 / .

0.002 / .

9.

0.02 / .

10.

1. 1000  
D  
et. 50  
St. d  
2. 1. 1000  
Na<sub>2</sub>O

2.0%  
0. xxx /

40%<Vdaf 42% Vdaf 1  
0.002 / Vdaf  
42%  
0.005 / 1  
8000 < 12000 0.02  
8000 /  
>12000 12000  
0.03 /

2.0%  
1. 2.0%<Na<sub>2</sub>O 3. 0.1  
0.1  
2. 3.5%<Na<sub>2</sub>O 4. 5%  
3. Na<sub>2</sub>O>405%

20 0.1

5 <6 -0.006 /  
50% -0.008  
40%  
-0.01 /